

USB 3.0 to Gigabit SuperSpeed Ethernet Adapter











Features





USB 3.0 & Gigabit – Equipped with USB 3.0
 ports and Gigabit Ethernet port, UE300
 provides a high speed data transfer rate



Portable Devices

 Compact Design – Compact design with a retractable cable makes it an ideal on the go



Plug and Play

User Friendly – Plug and play, enjoy
 the most stable and rapid Internet

Specifications

Basic

Dimentions: 2.8 x 1.0 x 0.6 in. (71 x 26 x 16mm)

Interface: 1 10/100/1000Mbps RJ45 Ethernet Port

1 USB 3.0 Port

Package Contents

· USB 3.0 to Gigabit Ethernet Network Adapter

· Quick Installation Guide

System Requirements

· Windows 11/10/8.1/8/7, macOS, Chrome OS, Linux OS[†]

Others

Certification

· CE, FCC, RoHS

Environment

- · Operating Temperature: 0°C~40°C (32°F ~104°F)
- · Storage Temperature: -40°C ~70°C (-40°F ~158°F)
- · Operating Humidity: 10%~90% non-condensing
- Storage Humidity: 5%~90% non-condensing



For more information, please visit

or scan the QR code left

Specifications are subject to change without notice. ©2023 TP-Link

*USB 3.0 is designed as 10x fast as USB 2.0. USB 3.0 is backwards compatible with USB 2.0/1.1 standard. Actual transfer rate is subject to configuration of the connected devices.

^Plug and Play for Windows 11/10, macOS 10.9 & later versions, Chrome OS, Linux OS. More later OS version is to get supported soon.

†To ensure compatibility, you may need to update the adapter's drivers after an OS update. You can check full list of supported OS in the download center at tp-link.com/download-center



www.tp-link.com